

Specialised Product Consultation



Numatic
INTERNATIONAL

&

SW Testing Services Limited

Numatic Specialised

“The Power to Clean up Every Time”



**Specialised Hazardous
Vacuums**



Custom Designed Vacuums for Specialised Applications

Contents

5. HZQ 350s Specialised Vacuum
6. HZQ 350s Optional Upgrades
7. HZQ 350s Pricing Structure
8. HZQ 750s Specialised Vacuum
9. HZQ 750s Optional Upgrades
10. HZQ 750s Pricing Structure
11. HZQ 570p Specialised Vacuum
12. HZQ 570p Optional Upgrades
13. HZQ 570p Pricing Structure
14. CRQ 500 Clean Room Vacuum
15. CRQ 500 Optional Upgrades
16. CRQ 500 Pricing Structure
17. The Services We Have to Offer

HZQ 350-s Specialised Hazardous Vacuum



Description

Soot dust is a known carcinogenic substance, something that needs to be cleaned up with care. Numatic has recognised the many problems created when cleaning up after sweeping a chimney something now catered for using our range of hazardous chimney sweeps vacuums. The HZQ 350-s sets the standard when cleaning hazardous substances and boasts a filtration level of 99.997%, thanks to the fitted HEPA module. Power is provided by a 1200 watt "Twinflo" motor giving you the power to make a real difference when cleaning. The vacuum boasts four stage filtration ensuring that what's cleaned up, stays cleaned up. Each vacuum comes complete with a full accessory kit ideally suited for cleaning around the fire place or boiler. Ready for action with performance to match, just two reasons that make this "the right choice" for chimney sweeps and boiler engineers.

Specifications

Power; 1200 watts (max). Airflow; 45 litres/second. Suction; 2600mm. Capacity 10 litres. Cleaning range; 26.8 metres. Weight; 15Kg. Size; 655mm x 350mm x 350mm. Decibel level; 71.9 DBA



607348

1 x 2.4mtr 38mm Hose	1 x 65mm Dusting Brush
1 x HEPA-FLO Bags (10)	1 x 305mm S/S Gulper tool
1 x 20 Disposable Bags (roll)	1 x 305mm ABS Crevice tool
1 x 152mm Rubber Brush	1 x Tritex Filter

HZQ 350-s Specialised Hazardous Vacuum Optional Upgrades

(Please see current price list if wishing to purchase the below items)

 <p>602169</p>  <p>602924</p>  <p>602168</p>  <p>602926</p>	<p style="text-align: center;"><u>Additional 38mm Accessories</u></p> <p>602169 200mm Banana Pipe Cleaning Tool 602924 610mm S/S Gulper Tool 602926 610mm S/S Crevice Tool 602168 100mm Banana Pipe Cleaning Tool</p>
 <p>602110</p>  <p>602917</p>  <p>602331</p>	<p style="text-align: center;"><u>Additional 38mm Floor Cleaning Accessories</u></p> <p>602110 38mm 3mtr Hiloflex Vacuum Hose 602917 3 piece S/S Wand Set 602331 400mm Widetrack Pick up Nozzle</p>
 <p>602161</p>  <p>602163</p>  <p>602160</p>	<p style="text-align: center;"><u>Additional 38mm Accessories</u></p> <p>602161 152mm Rubber Brush with Soft Bristles 602163 130mm Rubber Gulper Nozzle 602160 305mm ABS Crevice Tool</p>
 <p>604165</p>  <p>604309</p>  <p>604016</p>	<p style="text-align: center;"><u>Additional Filtration</u></p> <p>604165 Replacement "Permatex" Filter 604309 Secondary "Microtex" Filter 604016 NVM 2BH "HEPA-FLO" Filter Bags (10)</p>
 <p>604151</p>  <p>217067</p>  <p>604201</p>	<p style="text-align: center;"><u>Additional Accessories</u></p> <p>604151 Air Diffuser for Power Head 217067 Step Down Adaptor (for use with a power tool) 604201 Roll of 120ltr Disposable Bags</p>

HZQ 750-s Specialised Hazardous Vacuum



Description

The HZQ 750 "S" has been custom manufactured for use by the chimney sweeping industry. The practical design makes the task of cleaning quick and easy while retaining some outstanding features.

The all metal head assembly incorporates a cable winding facility that doubles up as a carrying handle for ease of transportation. Power is provided by a "Twinflo" direct airflow motor giving unrivalled performance and reliability.


The "H" type filtration provided by the HZQ 750 "S" gives an absolute filtration level of 99.997% and has been designed exclusively for the removal of dusts that could constitute a health risk. Two carrying handles have been fitted to the drum assembly for ease of transportation. A wooden base has also been fitted to the bottom of the drum to prevent damage during transit.

Specifications

Power; 1200 watts (max). Airflow; 45 litres/second. Suction; 2600mm.

Capacity 35 litres. Cleaning range; 26.8 metres. Weight; 22Kg.

Size; 860mm x 480mm x 400mm. Decibel level; 70.02 DBA



607350

1 x 2.4mtr 38mm Hose

1 x 65mm Dusting Brush

1 x HEPA-FLO Bags (10)

1 x 305mm S/S Crevice tool

1 x 20 Disposable Bags (roll)

1 x 305mm ABS Crevice tool

1 x 152mm Rubber Brush

1 x Permatex Filter

HZQ 750-s Specialised Hazardous Vacuum Optional Upgrades

(Please see current price list if wishing to purchase the below items)

 <p>602169</p>  <p>602924</p>  <p>602168</p>  <p>602926</p>	<p><u>Additional 38mm Accessories</u></p> <p>602169 200mm Banana Pipe Cleaning Tool 602924 610mm S/S Gulper Tool 602926 610mm S/S Crevice Tool 602168 100mm Banana Pipe Cleaning Tool</p>
 <p>602110</p>  <p>602917</p>  <p>602331</p>	<p><u>Additional 38mm Floor Cleaning Accessories</u></p> <p>602110 38mm 3mtr Hiloflex Vacuum Hose 602917 3 piece S/S Wand Set 602331 400mm Widetrack Pick up Nozzle</p>
 <p>602161</p>  <p>602163</p>  <p>602160</p>	<p><u>Additional 38mm Accessories</u></p> <p>602161 152mm Rubber Brush with Soft Bristles 602163 130mm Rubber Gulper Nozzle 602160 305mm ABS Crevice Tool</p>
 <p>604116</p>  <p>604310</p>  <p>604019</p>	<p><u>Additional Filtration</u></p> <p>604116 Replacement "Permatex" Filter 604310 Secondary "Microtex" Filter 604019 NVM 4BH "HEPA-FLO" Filter Bags (10)</p>
 <p>604151</p>  <p>217067</p>  <p>604201</p>	<p><u>Additional Accessories</u></p> <p>604151 Air Diffuser for Power Head 217067 Step Down Adaptor (for use with a power tool) 604201 Roll of 120ltr Disposable Bags</p>

HZQ 570-s Specialist Hazardous Vacuum



Description

Certain Hazardous environments dictate specific equipment, one such application is cleaning around transformer banks. Numatic has overcome this problem by producing a "Structofam" polypropylene Vacuum giving you the insulated properties required for such applications.

Power is provided by a "Twinflo" vacuum motor giving superior performance every time. Three layer filtration ensures a filtration level of 99.997% thanks to the fitted "HEPA" module and if that wasn't enough, screw caps are supplied for use during transportation meaning once in the vacuum "it stays their". Mobility is made easier using multi directional castors.

A full plastic accessory kit is also provided as standard giving you the tools to complete the job straight from the box.

Specifications

Power; 1200 watts (max). Airflow; 45 litres/second. Suction; 2600mm.

Capacity 23 litres. Cleaning range; 26.8 metres. Weight; 15Kg.

Size; 645mm x 415mm x 415mm. Decibel level; 71.7 DBA



- 1 x 2.9mtr 32mm Hose with bend
- 1 x 240mm Crevice Tool
- 1 x HEPA-FLO Bags (10)
- 1 x 150mm Nozzle
- 2 x ABS Plastic Wands
- 1 x Slide on Brush
- 1 x Pick up Nozzle
- 1 x Tool Adaptor, 1 x 65mm Brush

HZQ 570-s Specialist Hazardous Vacuum Optional Upgrades

(Please see current price list if wishing to purchase the below items)

 <p>601167</p>  <p>601142</p>  <p>601144</p>  <p>601166</p>	<p style="text-align: center;"><u>Additional 32mm Accessories</u></p> <p>601167 200mm Banana Pipe Cleaning Tool 601142 240mm Crevice Tool 601144 65mm Brush 601166 100mm Banana Pipe Cleaning Tool</p>
 <p>307075</p>  <p>206709</p>  <p>601428</p>	<p style="text-align: center;"><u>Additional 32mm Floor Cleaning Accessories</u></p> <p>307075 32mm 2.9mtr Vacuum Hose 206709 Plastic Extension Wand (2 x required) 601428 300mm Pick up Nozzle</p>
 <p>601177</p>  <p>601178</p>  <p>601179</p>	<p style="text-align: center;"><u>Additional 32mm Accessories</u></p> <p>601177 200mm Straight Conical Rubber Nozzle 601178 225mm 90 Deg Rubber Nozzle 601179 225mm 90 Deg Rubber Nozzle with Brush</p>
 <p>604116</p>  <p>604310</p>  <p>604017</p>	<p style="text-align: center;"><u>Additional Filtration</u></p> <p>604116 Replacement "Permatex" Filter 604310 Secondary "Microtex" Filter 604017 NVM 3BH "HEPA-FLO" Filter Bags (10)</p>
 <p>604151</p>  <p>601344</p>  <p>604201</p>	<p style="text-align: center;"><u>Additional Accessories</u></p> <p>604151 Air Diffuser for Power Head 601344 Multi Angle Brush 604201 Roll of 120ltr Disposable Bags</p>

CRQ 500-s Clean Room Vacuum



Description

The CRQ 500-s is the ideal companion for use in a “clean room” environment, the vacuum is powered by a “Twinflo” vacuum motor giving superior performance every time. Filtration is an all too important consideration, something this product is proud to boast.

The power head is equipped with “Twin HEPA” filtration giving before and after motor filter performance, but that’s not all. A primary “Tritex” filter is fitted beneath the head assembly and a “HEPA-FLO” filter bag fitted inside the drum, completes the “four stage” filtration package. With filtration levels of 99.997% we are sure you’ll agree that will take some beating.

The vacuum has a capacity of 20 litres which can be sealed using the supplied end caps, something normally undertaken during transportation. A fully mobile chassis adds the finishing touches while an accessory kit completes the ready for action package.

Specifications

Power; 1200 watts (max). Airflow; 45 litres/second. Suction; 2600mm.
Capacity 20 litres. Cleaning range; 26.8 metres. Weight; 15.4Kg.
Size; 850mm x 380mm x 330mm. Decibel level; 71.9 DBA



JVH 1 kit



604017

Kit Contents

1 x 1.9 metre Vacuum Hose, 1 x 300mm Floor Nozzle
1 x Aluminium Bend, 2 x Aluminium Extension Tubes
1 x 240mm Crevice Tool, 1 x Multi Angle Brush
1 x pack of HEPA-FLO bags

CRQ 500-s Optional Upgrades

(Please see current price list if wishing to purchase the below items)



601177



601178



601179

Additional 32mm Accessories

601177 200mm Straight Conical Rubber Nozzle

601178 225mm 90 Deg Rubber Nozzle

601179 225mm 90 Deg Rubber Nozzle with Brush



607304

Additional Accessory Kit 32mm 607304

1 x Hose/Tool Adaptor 1 x 150mm Upholstery Nozzle

1 x 240mm Crevice Tool 1 x 150mm Slide On Brush

1 x 65mm Dusting Brush



607348

Additional Accessory Kit 38mm (607348)

1 x 2.4mtr 38mm Hose 1 x 65mm Dusting Brush

1 x HEPA-FLO Bags (10) 1 x 305mm S/S Crevice tool

1 x 20 Disposable Bags (roll) 1 x 305mm ABS Crevice tool

1 x 152mm Rubber Brush 1 x Tritex Filter



604151



604177



604017

Additional Accessories

604151 Air Diffuser for Power Head

604177 Hose Carrier (fits to head assembly)

604017 NVM 3BH "HEPA-FLO" Filter Bags (10)



604165



604170



604309

Additional Filtration

604165 Tritex Filter

604170 Microfresh Odour Control Filter

604309 Secondary Microtex Filter

